THE BUNCH BED STRAILES OF ANDERS OF

TO ALL TO WHOM THESE PRESENTS SHALL COME:

North American Dlant Breeders

Withereas, there has been presented to the

Secretary of Agriculture

AN APPLICATION REQUESTING A CERTIFICATE OF PROTECTION FOR AN ALLEGED NOVEL VARIETY OF SEXUALLY REPRODUCED PLANT, THE NAME AND DESCRIPTION OF WHICH ARE CONTAINED IN THE APPLICATION AND EXHIBITS, A COPY OF WHICH IS HEREUNTO ANNEXED AND MADE A PART HEREOF, AND THE VARIOUS REQUIREMENTS OF LAW IN SUCH CASES MADE AND PROVIDED HAVE BEEN COMPLIED WITH, AND THE TITLE THERETO IS, FROM THE RECORDS OF THE PLANT VARIETY PROTECTION OFFICE, IN THE APPLICANT(S) INDICATED IN THE SAID COPY, AND WHEREAS, UPON DUE EXAMINATION MADE, THE SAID APPLICANT(S) IS (ARE) ADJUDGED TO BE ENTITLED TO A CERTIFICATE OF PLANT VARIETY PROTECTION UNDER THE LAW.

NOW, THEREFORE, THIS CERTIFICATE OF PLANT VARIETY PROTECTION IS TO GRANT UNTO THE SAID APPLICANT(S) AND THE SUCCESSORS, HEIRS OR ASSIGNS OF THE SAID APPLI-CANT(S) FOR THE TERM OF eighteen YEARS FROM THE DATE OF THIS GRANT, SUBJECT TO THE PAYMENT OF THE REQUIRED FEES AND PERIODIC REPLENISHMENT OF VIABLE BASIC SEED OF THE VARIETY IN A PUBLIC REPOSITORY AS PROVIDED BY LAW, THE RIGHT TO EX-SLUDE OTHERS FROM SELLING THE VARIETY, OR OFFERING IT FOR SALE, OR REPRODUCING IT, PORTING IT, OR EXPORTING IT, OR USING IT IN PRODUCING A HYBRID OR DIFFERENT THEREFROM, TO THE EXTENT PROVIDED BY THE PLANT VARIETY PROTECTION ACT 542, AS AMENDED, 7 U.S.C. 2321 ET SEQ.)

ALFALFA

'Granada'

In Testimony Whereof, I have hereunto set my hand and caused the seal of the Mant Variety Protection Office to be affixed at the City of Washington

this 27th day of May in the year of our Lord one thousand nine

hundred and eighty-two.

Genneth H. Eval

Plant Variety Protection Office

Grain Division

Agricultural Marketing Service



APPLICATION FOR PLANT VARIETY PROTECTION CERTIFICATE

FORM GR-470 (1-78)

No certificate for plant variety protection may be issued unless a completed application form

INSTRUCTIONS: See Reverse.			has been received (5	U.S.C. 553).	
1a. TEMPORARY DESIGNATION OF VARIETY	1b. VARIETY NAME		FOR OFFICIAL USE ONLY		
NAPB 91	Granada		8100071		
2. KIND NAME THE COMMENT OF THE COMMENT	3. GENUS AND SPE	CIES NAME	FILING DATE	TIME A.N	
Alfalfa HOMENOS DE SILV	Medicago sativa		3/9/81 FEE RECEIVED	2:30 (P.M	
4. FAMILY NAME (BOTANICAL)	5. DATE OF DETE		\$ 500.00	3/9/81 5/14/82	
Leguminacea FABACEAE	March 197				
North American Plant Breeders	Code)	son Drive Kansas 662		8. TELEPHONE AREA CODE AND NUMBE (913) 384-494	
9. IF THE NAMED APPLICANT IS NOT A I ORGANIZATION: (Corporation, partners	PERSON, FORM OF ship, association, etc.)	10. IF INCORPORATE DATE OF INCOR	ED, GIVE STATE AND PORATION	11. DATE OF INCOR- PORATION	
Corporation Corporation		Connecticut	user a two	March 9, 1973	
13B. Exhibit B, Novelty State 13C. Exhibit C, Objective Des 13D. Exhibit D, Additional Des 148. DOES THE APPLICANT(S) SPECIFY TH	cription of the Variet	ety.			
SEED? (See Section 83(a). (If "Yes," ans			NO	S A CLASS OF CENTIFIE	
14b. DOES THE APPLICANT(S) SPECIFY TH LIMITED AS TO NUMBER OF GENERA X YES NO			B, HOW MANY GENER BREEDER SEED?	ATIONS OF PRODUC-	
15a. DID THE APPLICANT(S) FILE FOR PROname of countries and dates.) 15b. HAVE RIGHTS BEEN GRANTED THIS and dates.)	of sense tient (5) the tipe of ion see dust o	ne Signisia Signisia Signisia Signisia Signis	cryon (6.4 vacuan s	NO (If "Yes," giv	
16. DOES THE APPLICANT(S) AGREE TO 1 JOURNAL? X YES	THE PUBLICATION OF	HIS/HER (THEIR) NAM	E(S) AND ADDRESS IN	THE OFFICIAL	
	nce with such regulati the owner(s) of this s e as required in Section	ons as may be applicated and the sexually reproduced no on 41, and is entitled	ble. by the plant variety, and to protection under the	believe(s) that the ne provisions of Section penalties.	
Applicant(s) is (are) informed that fa	alse representation her	rein can jeopardize pro	seas		
그리오아 보다 시간 얼마가 있다면 아이들이 가셨다면 하는 것이 없어서 되었다. 얼마나 없었다.	copy of the app	- JB	mountey	ICANT)	

INSTRUCTIONS

GENERAL: Send an original copy of the application and exhibits, at least 2,500 viable seeds, and \$500 fee (\$250 filing fee and \$250 examination fee) to U.S. Dept. of Agriculture, Agricultural Marketing Service, Livestock, Poultry, Grain and Seed Division, Plant Variety Protection Office, National Agricultural Library Building, Beltsville, Maryland 20705. (See section 180.175 of the Regulations and Rules of Practice.) Retain one copy for your files. All items on the face of the form are self-explanatory unless noted below.

ITEM

- Give the date the applicant determined that he had a new variety based on (1) the definition in section 41(a) of the Act and (2) the date a decision was made to increase the seed.
- Give: (1) the genealogy, including public and commercial varieties, lines, or clones used, and the breeding method; (2) the details of subsequent stages of selection and multiplication; (3) the type and frequency of variants during reproduction and multiplication and state how these variants may be identified and (4) evidence of uniformity and stability.
- Give a summary statement of the variety's novelty. Clearly state how this novel variety may be distinguished from all other varieties in the same crop. If the new variety most closely resembles one or a group of related varieties:

 (1) identify these varieties and state all differences objectively; (2) attach statistical data for characters expressed numerically and demonstrate that these differences are significant; and (3) submit, if helpful, seed and plant specimens or photographs of seed and plant comparisons clearly indicating novelty.
- 13c Fill in the Exhibit C, Objective Description form, for all characteristics for which you have adequate data.
- Describe any additional characteristics that are not described, or whose description cannot be accurately conveyed in Exhibit C. Use comparative varieties as is necessary to reveal more accurately the description of characteristics that are difficult to describe, such as, plant habit, plant color, disease resistance, etc.
- If "YES" is specified (seed of this variety be sold by variety name only as a class of certified seed) the applicant may NOT reverse his affirmative decision after the variety has either been sold and so labeled, his decision published, or the certificate has been issued. However, if the applicant specified "NO," he may change his choice. (See section 180.16 of the Regulations and Rules of Practice.)
- See section 42 of the Plant Variety Protection Act and section 180.7 of the Regulations and Rules of Practice.

Exhibit A

Origin and Breeding History of the Variety

'Granada'

Granada is a synthetic cultivar with parentage tracing entirely to 'Cuf 101'. 'Cuf 101' was subjected to two cycles of selection for resistance to Phytophthora root rot in the Ames, Iowa field nursery, followed by one cycle of selection for resistance to blue alfalfa aphid in the greenhouse.

Breeder seed was formed by interpollination of 2106 plants under field isolation near Nampa, Idaho.

During seed multiplication, no variants beyond the limits defined under Exhibit C have been found and multiplication procedure will ensure that seed being sold as 'Granada' will not be shifted in characteristics beyond presently acceptable limits for alfalfa cultivars.

It is also confirmed that 'Granada' meets presently acceptable levels of uniformity for alfalfa cultivars.




Exhibit B Amended
Novelty Statement
Granada

Granada most closely resembles the cultivar Cuf 101. Granada differs from Cuf 101 by having a significantly higher level of resistance to Phytophthora root rot.

Granada is the only very non-dormant variety with a high level of resistance to the blue alfalfa aphid and Phytophthora root rot.



Table 1

Blue alfalfa aphid resistance of selected cultivars. NAPB Ames, Iowa 1980

	Percent Resistance ¹
Cuf 101 resistant check	35.2
PA-1 susceptible check	0.2
WL 514	9.3
Granada	45.2
LSD .05	9.60

Resistance defined as those plants which are able to continue to elongate after 5 weeks of heavy infestation when inoculated at the cotyledon stage in the greenhouse.



Entry Designation

/-	nes cci. Res. Genetics			
Tel Ma	rnes sci. Pl. Geno		JAN 2	0 1982
FRANK K. SS		Phytophthora Root F	Rot Variety Evaluation Study (Pu	olic) unit
DOI DA OF AR	of Minno 108 - 1482		Barr	and Sc
Depliversity	MM Entry Designa	tion	7.00A 17.25	nomy sota
St. Pau			Originator OP: 611/0	N % O+1* ASI**
Number	r Name	Seed Lot No.	Originator Weight M	N % O+1* ASI**
		2242	200	5.0
1	Iowa 75-1	3343	I.T. Carlson, Iowa State	5.0 3.64
2 3	RSW A2-Anl RSW B2-Anl	3344 3345	G.R. Buss, V.P.I.	4.5 4.27 2.1 4.18
4	WGS	3348	E.T. Bingham, Univ. of Wis.	26.4 3.18
5	WLR	3349	" United the state of the state	27.8 3.16
3	MIL	3349		27.0 3.10
6	SD 7541, Syn	2 3351	M.D. Rumbaugh, S. Dakota	0.5 4.58
7		tte, Co.) 3352	n .	13.4 3.65
8	Daneb 1, Syn	1 3353	u .	4.0 4.08
9	N.Y. Sel. 1	3458	R.P. Murphy, Cornell Univ.	32.4 2.94
10	WYSI	3355	R.N. Peaden, ARS, USDA-Wash.	4.6 3.63
11	K75-8	3358	E.L. Sorensen, ARS, USDA-Kan.	12.6 3.56
12	K75-11	3359	n n	31.0 2.94
13	K75-12	3360		17.0 3.51
14	N.S. 68 Syn 3			1.9 4.18
15	N.S. 72 Syn 2	3461	W.R. Kehr, ARS, USDA-Neb.	3.5 4.15
16	N.S. 72 PRR1	Syn 2 3462	n .	16.7 3.36
17	N.S. 72 PRR2		· II	28.1 3.03
18	N.S. 77 PRR1,			20.1 3.03
	SAA1	3464	11	5.0 3.76
19	N.S. 81 PRR1,			
	SAAl	3465	m .	22.6 3.31
20	N.S. 82 PRR1,	Syn 2 3466	"	13.3 3.47
21	Vernal RK Res		O.J. Hunt, ARS, USDA-Nev.	3.8 4.03
22	Wash. Sn I	3362	"	9.5 3.73
23	CUF 101	3363	W.F. Lehman, Univ. of Cal.	19.8 3.44
24 25	UC 76 Mn BA-4	3459 3212	Barnes & Frosheiser, ARS,	31.4 3.05
25	MII BA-4	3212	USDA-MN	4.8 3.79
			ODDI TIIV	4.0 3.75
26	Mn C-5	3258		22.7 3.18
27	Mn NC-4	3285	H .	14.8 3.55
28	Mn Rh-Pop 1,3	3289	· u	4.2 3.95
29	Mn Rh-Pop 2,3	3290	u	6.2 4.09
30	BIC5-WH, Rh	3291	"	6.2 3.81
31	Mn HCRR PX-2	3092	"	1.3 4.04
32	Mn FR-H	3293	,	14.2 3.68
33	Mn FR-MH	3294	" "	4.1 4.14
34	Mn FR-SW	3295	Varieties	23.3 3.28
35	Chilean 21-5	3298	varieties	0.4 4.75
36	Drylander	3365		12.1 3.88
37	Mesilla	3232	n	1.9 3.91
38	New Mexico Co		n	3.0 4.12
39	New Mexico 11		n .	1.7 4.08
40	Vista	3426	· ·	0.4 4.55

U.S. DEPARTMENT
AMS, LPGSS DIV.

PVPO

STATEMENT
AMS, LPGSS DIV.

Entry Designation % 0+1* ASI** Seed Lot No. Originator Number Name 7.5 3.70 3235 Varieties 41 Zia 3341 2.3 4.24 42 Saranac 2.87 34.0 2892+3093 Check 43 Agate LSD .05 0.40 .01 0.53 CV % 6.6

^{*} Plants scored 1 and 2 (on a 1-6 scale) considered resistant.

^{**} Calculated on basis of average severity infection of individual plants in each of 3 replications (about 75 plants observed per entry per rep.)



BILL OF SALE AND ASSIGNMENT

KNOW ALL MEN BY THESE PRESENTS that AGRIPRO BIOSCIENCES INC., a Delaware corporation (hereinafter referred to as "Seller"), pursuant to that certain Asset Purchase Agreement of even date herewith by and between Seller and AGR ACQUISITION CORPORATION, a Delaware corporation (hereinafter referred to as "Buyer") and for good and valuable consideration, the receipt and sufficiency of which are hereby acknowledged, does hereby grant, bargain, sell, and interest in and to the plant varieties owned/registered by for which PVP Certificates have been issued by or may be pending before the U. S. Department of Agriculture.

TO HAVE AND TO HOLD UNTO PURCHASER, its successors and assigns

IN WITNESS WHEREOF, Seller has executed this Bill of Sale and Assignment as of the 30th day of June, 1994.

AGRIPRO BIOSCIENCES INC.

BY: _(V.a. Sama	
Title:	Pros, dent	

STATE OF KANSAS, COUNTY OF JOHNSON

WITNESS my hand and Notarial Seal at office the day and year above written.


Notary Public

notary Pub.

My Commission Expires:

ALMA M. WEAVER NOTARY PUBLIC STATE OF KANSAS

My Annt Fyn



State of Delaware Office of the Secretary of State

I, EDWARD J. FREEL, SECRETARY OF STATE OF THE STATE OF DELAWARE, DO HEREBY CERTIFY THE ATTACHED IS A TRUE AND CORRECT COPY OF THE CERTIFICATE OF AMENDMENT OF "AGR ACQUISITION CORPORATION", CHANGING ITS NAME FROM "AGR ACQUISITION CORPORATION" TO "AGRIPRO SEEDS, INC.", FILED IN THIS OFFICE ON THE THIRTIETH DAY OF JUNE, A.D. 1994, AT 4:30 O'CLOCK P.M.

A CERTIFIED COPY OF THIS CERTIFICATE HAS BEEN FORWARDED TO THE NEW CASTLE COUNTY RECORDER OF DEEDS FOR RECORDING.

Edu Jaul

SECRETARY OF STATE

AUTHENTICATION:

7169071

944121584

2394087 8100

DATE:

07-01-94

	, ·
그 사이를 생각하면 하는데 하는데 사람들이 나는데 하는데 하는데 되었다.	

ABI SHAWNEE MSN

Ø 002/002

CERTIFICATE OF AMENDMENT
OF
CERTIFICATE OF INCORPORATION
OF
AGR ACQUISITION CORPORATION

AGR Acquisition Corporation, a corporation organized and existing under and by virtue of the General Corporation Law of the State of Delaware,

DOES HEREBY CERTIFY:

FIRST: that the Board of Directors of said corporation, by the unanimous written consent of its members filed with the minutes of the Board, adopted a resolution proposing and declaring advisable the following amendment to the Certificate of Incorporation of said corporation:

RESOLVED, that the Certificate of Incorporation of this corporation be amended by changing the Article thereof numbered "ARTICLE I" so that, as amended, said Article shall be and read as follows:

"ARTICLE I

Name

The name of the corporation (hereinafter called the 'Corporation') is Agripro seeds, Inc."

SECOND: That in lieu of a meeting and vote of stockholders, the sole shareholder of the corporation has given unanimous written consent to said amendment in accordance with the provisions of Section 228 of the General Corporation Law of the State of Delaware.

THIRD: That the aforesaid amendment was duly adopted in accordance with the applicable provisions of Sections 242 and 228 of the General Corporation Law of the State of Delaware.

FOURTH: That the capital of said corporation shall not be reduced under or by reason of said amendment.

IN WITNESS WHEREOF, said AGR Acquisition Corporation has caused this certificate to be signed by Gary T. Hancock, its President, and attested by Ann Steelman, its Secretary, this 30 day of June, 1994.

AGR ACQUISITION CORPORATION

BY: 2

Gary T. Hancock, President

ATTEST:

BY: Am Steelman, Secretary

		9

12. DISEASE, INSECT, AND NEMATODE RESISTANCE: (Enter resistance of submitted and check cultivars, Circle check cultivars used.)

INSECT	CULTIVAR	% RESISTANT PLANTS	AVG. SEVERITY INDEX (ASI)	ASI LSD .05	TEST, YEAR & LOCATION 4/
THER	(SUBMITTED)		-1		
	(RES. CK.)				
	(SUS. CK.)				
NEMATODE	CULTIVAR	% RESISTANT PLANTS	INDEX (ASI)	ASI LSD .05	TEST, YEAR & LOCATION 4/
	(SUBMITTED)				
STEM NEMATODE	(RES. CK.) LAHONTAN		100		
NEMATOBE	(SUS. CK.) RANGER				
	(SUBMITTED)	The state of			
NORTHERN ROOT KNOT	(RES. CK.) NEV. SYN. XX				
NEMATODE	(SUS. CK.) LAHONTAN	Tej :			
	(SUBMITTED)	a. viut	7 7 9		
SOUTHERN ROOT KNOT	(RES. CK.) MOAPA 69				
NEMATODE	(SUS. CK.) LAHONTAN	Tel on			
	(SUBMITTED)	t			
OTHER	(RES. CK.)				
	(SUS. CK.)				at make that has a

13. INDICATE A VARIETY THAT MOST CLOSELY RESEMBLES THE VARIETY SUBMITTED FOR THE FOLLOWING CHARACTERS:

CHARACTER	VARIETY	CHARACTER	VARIETY
AREA OF ADAPTATION	Cuf 101	PLANT HEIGHT	Cuf 101
AFTER CUTTING	Cuf 101	WINTER HARDINESS	Cuf 101

REFERENCES

Barnes, D.K., and C.H. Hanson, An Illustrated Summary of Genetic Traits in Tetraploid and Diploid Alfalfa, ARS Technical Bul. 1370.
Barnes, D.K., et al, Standard Tests to Characterize Pest Resistance in Alfalfa Varieties. ARS-NC-19, September 1974.
Nittler, L.W., G.W. McKee, and J.L. Newcomer, Principles and Methods of Testing Alfalfa Seed for Varietal Purity. New York Agricultural Experiment USDA Agricultural Handbook No. 424.

COMMENTS

1.11



Aphid

(SUS. CK.) PA-1

4/ Give: The institution in charge of test, (2) year, and (3) location

12. DISEASE, INSECT, AND NEMATODE RESISTANCE: (Enter resistance of submitted and check cultivars. Circle check cultivars used.) AVG. SEVERITY % RESISTANT PLANTS ASI INDEX (ASI) LSD .05 TEST, YEAR & LOCATION 4/ DISEASE CULTIVAR Fusarium 55.2 (SUBMITTED) wilt University of Minnesota (RES. CK.) Moapa 69 too Low 62.8 1979 OTHER St. Paul Mn Gn-1 7.6 (SUBMITTED) (RES. CK.) OTHER (SUS. CK.) % SEEDLING AVG' SEVERIT ASI LSD .05 CULTIVAR INSECT TEST, YEAR & LOCATION 4/ SURVIVAL (SUBMITTED) PEA APHID (RES. CK.) KANZA (SUS. CK.) RANGER 05 65.8 (SUBMITTED) ind Tucson, Arizona < Yest SOOV MSTT 1979 68.3 ALFALFA APHID Biotype H (RES. CK.) KANZA Dr. Merv Nielson Caliverde 0.0 (SUS. CK.) RANGER % DEFOLIATION TEST, YEAR & LOCATION 4/ CULTIVAR INSECT (SUBMITTED) ALFALFA WEEVIL (RES. CK!) ARK (SUS. CK.) VERNAL % RESISTANT EMERGED ADULTS EMERGED TEST, YEAR & LOCATION 4/ INSECT CULTIVAR PLANTS PER PLANT LSD .05 (SUBMITTED) ALFALFA SEED CHALCID (RES. CK.) LAHONTAN (SUS. CK.) SONORA AVG. SEVERITY INDEX (ASI) ASI LSD .05 % RESISTANT TEST, YEAR & LOCATION 4/ CULTIVAR INSECT PLANTS (SUBMITTED) POTATO LEAF-(RES. CK.) (SUS. CK.) Blue 45.2 (SUBMITTED) tance Alfalfa too low North American Plant Breeders (RES. CK.) Cuf 101 35.2 OTHER 1980

ARS-NC-19, September 1974. Resistance defined as those plants which are able to continue to elongate after 5 weeks of heavy infestation when inoculated at the cotyledon stage in the greenhouse.

0.2

Ames, Iowa

if it differs from procedure suggested in

10. GIVE ITEM LENGTH FREQUENCY DISTRIBUTION FOR SURVEY AND ARREST AD & STANDARD VARIETIES .V STEM LENGTH FREQUENCY DISTRIBUTION 2/ AVERAGE 61 - 7071 - 80 VARIETY 0 - 5 6 - 10 11 - 1516 - 20 21 - 30 31 - 40 41 - 50 | 51 - 60 81 + STEM mm. mm. NAME mm. mm. mm. mm. mm. mm. mm. mm. mm. % % % % % 11. FLOWER COLOR 3/ (DETERMINE COLOR ON FRESHLY OPENED FLOWERS) % YELLOW % WHITE % PURPLE % VARIEGATED % CREAM 12. DISEASE, INSECT, AND NEMATODE RESISTANCE: (Enter resistance of submitted and check cultivars. Circle check cultivars used.) % RESISTANT AVG. SEVERITY ASI TEST, YEAR & LOCATION 4/ INDEX (ASI) CULTIVAR PLANTS DISEASE 3.0 (SUBMITTED) University of Minnesota 39.2 1979 BACTERIAL WILT (RES. CK.) VERNAL St. Paul 0.0 00 (SUS. CK.) NARRAGANSETT (SUBMITTED) ANTHRACNOSE (RES. CK.) ARC (SUS. CK.) SARANAC (SUBMITTED) (RES. CK.) RAMSEY COMMON LEAF (SUS. CK.) RANGER (SUBMITTED) DOWNY MILDEW (RES. CK.) SARANAC (SUS. CK.) KANZA 46.7 46 (SUBMITTED) University of Minnesota 43 43.7 1979 PHYTOPHTHORA ROOT ROT (RES. CK.) AGATE St. Paul 02 2.1 (SUS. CK.) SARANAC (SUBMITTED) (RES. CK.) OTHER

Preferred standards: Saranac, Vernal, Norseman, Lahontan, Mesa Sirsa. 1 weive nours light at 25° C with 20,000 lux of cool white florescent; 2,000 lux of incandescent filament light and twelve hours darkness at 5° C.

^{2]} From cotyledonary node to tip of stem 20-days after planting.

^{3/} For further clarification consult USDA Agricultural Handbook No. 424.

⁴⁾ Give: The institution in charge of test, (2) year, and (3) location of test. Describe test procedure if it differs from procedure suggested in ARS-NC-19, September 1974.

U.S. DEPARTMENT OF AGRICULTURE AGRICULTURAL MARKETING SERVICE GRAIN DIVISION HYATTSVILLE, MARYLAND 20782

EXHIBIT C

OBJECTIVE DESCRIPTION OF VARIETY

Airaira (iviedicago sativa L. complex)		
North American Plant Breeders	DESIGNATION Granada	
ADDRESS (Street and No., or R.F.D. No., City, State, and Zip Code)		
5201 Johnson Drive	FOR OFFICIAL USE ONLY	
Mission, Kansas 66201	PVPO NUMBER 8100071	
THIS TON, NAME OF THE PROPERTY		
Place the appropriate number that describes the varietal character of this variety in the boxes Place a zero in first box (e.g. 0 8 9 or 0 9) when number is either 99 or less or 9	below. or less.	
NOTE: For single plant data a minimum of 100 plants is suggested		
1. PRIMARY AREA OF ADAPTATION	INDICATE AREA WHERE TEST WAS	
	CONDUCTED. FURTHER EXPLANATION CAN GO IN COMMENTS AT THE END	
1 - NORTHWEST - A NORTHWEST - STATE WEST BEFORE THE STATE OF THE STATE	of the form. 5,2 AREA TESTED	
5 1=NORTHWEST 2=NORTHCENTRAL 3=NORTHEAST 4=SOUTHEAST 5=SOUTHWEST 6=SOUTHERN PLAINS		
4 = SOUTHEAST 5 = SOUTHWEST 6 = SOUTHERN PLAINS 7 = INTERMOUNTAIN		
2. WINTER HARDINESS		
Constitution of the second sec		
1 = NON-HARDY (Mesa Sirsa) 3 = INTERMEDIATE NON-HARDY 5 = MODERATELY HARDY (Saranac) 7 = HARDY (Vernal)	5 AREA TESTED	
9 = EXTREMELY HARDY (Norseman)	5,2 AREA TESTED	
	The state of the s	
2 SOURCE OF INFORMATION: 1 = ANTICIPATED 2 = MEASURED		
3. FALL GROWTH HABIT		
1 = ERECT (Mesa Sirsa) 3 = SEMIERECT (DuPuits)		
1 5 = INTERMEDIATE (Saranac) 7 = SEMIDECUMENT (Vernal) 9 = DECUMBENT (Norsement)	5,2 AREA TESTED	
4. RECOVERY AFTER FIRST SPRING CUTTING		
1 = VERY FAST (Mesa Sirsa) 3 = FAST (Saranac) 5 = INTERMEDIATE		
7 = SLOW (Vernal) 9 = VERY SLOW (Norseman)	5 AREA TESTED	
	The Manager	
5. FLOWERING DATE (FIRST SPRING GROWTH)		
	and the leading that it is	
DAYS EARLIER THAN		
DAYS LATER THAN	AREA TESTED	
6. CROWN TYPE		
1 = SPREADING ROOTS 3 = SPREADING RHIZOMES (Teton) 5 = BROAD (Vernal) 7 = INTERMEDIATE (Saranac)	5 2 AREA TESTED	
9 = NARROW (Mesa Sirsa)	5.2 AREA TESTED	
7. PLANT COLOR		
3 = DARK GREEN (Weevichek) 5 = GREEN (Vernal)		
5 7 = LIGHT GREEN (Ranger)	5 AREA TESTED	
8. HAIRINESS		
% PLANTS WITH PUBESCENT STEMS	% PLANTS WITH PUBESCENT	
The Date of the State of the St	PODS	
9. POD SHAPE	the second secon	
	The second secon	
% PLANTS WITH TIGHT COILS % PLANTS WITH LOOSE COILS	% PLANTS WITH SICKLE	
A second and a second a second and a second a second and a second a second and a second and a second and a second and a se	PODS (Less than 1 coil)	